

RANGE OVERVIEW 2022



AIRRIDER (inflatable) CARBON TECH


12'6" x 28" x 6" - 290/L 12'6" x 31" x 6" - 310/L 14'0" x 23^{1/2}" x 6" - 285/L 14'0" x 26" x 6" - 300/L



AIRRIDER (inflatable) AMMOLITE

11'6" x 32" x 6" - 290/L 12'6" x 31" x 6" - 300/L 14'0" x 28" x 6" - 320/L





 ΔVV

SUPERSONIC

14'0"x 22.5" - 230/L 14'0"x 22.5" - 230/L

14'0"x 24" - 240/L 14'0"x 24" - 248/L

14'0"x 26" - 260/L 14'0"x 26" - 268/L

FW



14'0"x 21" - 190/L

14'0"x 24" - 220/L

14'0"x 22.5" - 205 /L





SUPERNOVA CARBON FIN

ALPHA a ACE • EPSILON ε EPSILON (L) ε









CARBON PADDLE

SP00N² TRIDENT² 83in² DISTANCE² DRIVER² (S)78in²/(L)84in²





7'10" x 28" x 4" - 100/L 4 QUEENS 8'2" x 28^{1/2}" x 4" - 110/L 9'2" x 31" x 4^{11/16}" - 160/L 9'3" x 30" x 4^{1/4}" - 138/L 10'0" x 32" x 4^{3/4}" - 185/L



AQUA INC.

AMMOLITE

7'10" x 28" x 4" - 100/L 8'2" x 28^{1/2}" x 4" - 110/L 9'2" x 31" x 4^{11/16}" - 160/L 9'3" x 30" x 4^{1/4}" - 138/L 10'0" x 32" x 4^{3/4}" - 185/L



SUPERSONIC FW

This Race board is a flat-water speed machine. It is simply fast and stable. Pivot turns are easy to make and the advanced rocker helps to keep speed in flat water, but also when the chop comes up. It has an excellent tracking, so you can get more strokes per side before changing, meaning more strokes per minute, and higher average speed. The board is amazing stable, so you can transfer every stroke into maximum speed. If you have a good sense of balance the board will be also enjoyable for a down winders. The board has been upgraded with a lowered deck from 2020 onwards

14'0"x 22.5" - 230/L 14'0"x 24" - 240/L 14'0"x 26" - 260/L

Stability:

Speed: Tracking:



SUPERSONIC AW-

The Super Sonic All Water has been introduced during the 11Cities in 2019 by rider Vlad Saveliev. It is a very versatile board and keeps the speed in varies conditions. The board gives performance on flat and choppy conditions. The lowered deck provides a great stability also for the narrow boards in the range. It is a power board which will get for sure at the stage.

14'0"x 22.5" - 230/L 14'0"x 24" - 248/L 14'0"x 26" - 268/L

Speed: Tracking: Stability

SUPERNOVA

Made for speed: The Super Nova is a radical flatwater racing board that allows fast acceleration and top speed. Its unique shape allows the board to slice through the water efficiently and makes it quick and responsive. The board is perfect for sprints and flatwater marathons. It is a board for Pro's. Andre'Le Geyt, 1st place winner with the Super Nova on the UK Paddle Endurance 75K Thames Ultra



14'0"x 21" - 190/L 14'0"x 22.5" - 205 /L 14'0"x 24" - 220/L

Speed Tracking

Stability











SUP Coiled (Ankle / Calf)



LEASH

- 8mm tube
- 10ft
- SUP Coiled (Ankle / Calf)





Colors Available:



Surf Straight (Ankle)



Colors Available:

LEASH

- 8mm tube
- 9 ft
- Surf Straight (Ankle)












AIRRIDER (Inflatable)








AirRider Carbon Tech

12'6" x 28" 12'6" x 31" RACE RACE **EXERCISE** EXERCISE YOGA

14'0" x 23.5 " ELITE



14'0" x 26 " RACE







Cargo Bunchy Loops























12'6" x 31" RACE EXERCISE YOGA

14'0" x 28 " RACE

WAVE SUPs



BOMB 7'10" x 28" x 4" 100/L





160/L







AMMOLITE

available in :



KICK TAIL





CAMERA **MOUNT**



OLA 10'0" x 32" x 4^{3/4}" 185/L



















Quick and effortless release of the adjustable handle also during

HEXAGONAL JOINING

Hexagonal connection with

ANTI TWIST SYSTEM

Provides controlled alignment and prevents form twisting between the shaft and the

adjustable handle.

perfect fit and non-twist system, specially for 3-part paddles. It gives the feel of a U-cut paddle.

SYSTEM













Light weight one-piece adjust-able handle.





ULTRA LIGHT CARBON FINS



ACE •

Depth (cm / in) : 17.7cm / 7" Area (cm² / in²) : 187cm² / 29in² Cord (cm / in) : 10.9cm / 4^{5/16}" Base (cm / in) : 15.3cm / 6^{1/16}in

Leading Edge : 32° Weight : 110 grams



EPSILON ε

Depth (cm / in) : 20.3cm / 8" Area (cm² / in²) : 213cm² / 33in² Cord (cm / in) : 11cm / 4^{5/16}" Base (cm / in) : 15.5cm / 6^{1/8}"

Leading Edge : 35° Weight : 120 grams



Depth (cm / in) : 22.8cm / 9" Area (cm² / in²) : 258cm² / 40in² Cord (cm / in) : 12.4cm / 4^{7/8}" Base (cm / in) : 15.9cm / 6^{1/4}in


Leading Edge : 37° Weight : 140 grams





The foil of the race fins is designed to generate maximum lift with minimum drag, which is beneficial to the stability and tracking of the board. It will make you able to transfer every single stroke into maximum speed.

- High End Lite Core Construction. -



The New Lite Core Construction increases the Flex and Strength. It reduces the weight with 50% compared to the traditional RTM moulded Fins. The fin is ultra light and it floats on water.

Comes With Cover-





Adjustable / 3 parts

AMMOLIT 85



Adjustable / 3 parts

ENTRY PADDLE

PADDLE

SOFT TECHNOLOGY







10'0" x 24^{1/8}"



8'6" x 30" 10'6" x 32" AQUIFER (SUP)

























©2009 - 2022 BY AQUA INC. GLOBAL LT

P-TECH

